



21 Griffin Road North
Windsor, CT 06095

860.298.9692 PHONE
860.298.6399 FAX

www.TRCsolutions.com

May 19, 2017

Mr. Louis Casolo
City of Stamford
888 Washington Boulevard
Stamford, CT 06901

Re: Limited Phase II Site Assessment
Former Czescik Homes
172 Greenwich Avenue
Stamford, CT

Dear Mr. Casolo:

The purpose of this letter is to inform you of the results of the limited Phase II site assessment which was conducted by TRC on April 28, 2017 at the property located at 172 Greenwich Avenue (the site) in Stamford, Connecticut. The site location is shown on Figure 1.

Consistent with the April 24, 2017 proposal, TRC was on site to oversee the advancement of five direct push geoprobe borings, four located in the area of the former gasoline station and one in the presumed downgradient direction of the former station. According to historical Sanborn Maps, the former gasoline station was located on the property between the 1940s and 1950s. Due to the age of the station, there was little additional documentation pertaining to the site operations and/or underground storage tank (UST) capacity, construction or location.

Soil Sampling Program

Five soil borings were advanced to a maximum depth of 10 feet below grade (fbg). Two soil borings were advanced to the west of the former gasoline station location, two were advanced to the south of the former station and one was advanced to the east of the former station in the presumed downgradient location. Soil boring locations were selected based on a digital overlay of the current aerial photograph of the site and the 1951 Sanborn Map depicting the location of the former filling station.

The borings were completed by Glacier Drilling, LLC of Durham, Connecticut. Soil samples were collected by core sampler continuously to depth and were assessed in the field for odors or visual indication of contamination. One soil sample from each boring from the 8-10 fbg interval was submitted to Complete Environmental Testing (CET) of Stratford, Connecticut for laboratory analysis (note that in SB03, drilling refusal was encountered at a depth of 6 feet. Following several unsuccessful attempts to achieve a depth of 10 feet, a soil sample was collected from this location from a depth of 5 to 6 fbg.). The

sample interval was based on the presumed depth of the bottoms of former USTs. Each soil sample was analyzed for extractable total petroleum hydrocarbons (ETPH) by the approved Connecticut Method and Volatile Organic Compounds (VOCs) via Method 8260. All samples were placed on ice, kept cool (approximately 4 degrees Centigrade), and were delivered to CET for analysis in accordance with Connecticut's Reasonable Confidence Protocols (RCPs) following proper chain-of-custody procedures.

Soil Results

Soil borings SB01 through SB05 were advanced at the site in the area of the former filling station located to the west of the Czescik Homes. The locations of the soil borings are shown on Figure 2 and the soil results are shown on Table 1. Soil boring logs are located in Attachment A. Laboratory results are located in Attachment B.

Although the project site is not subject to the Transfer Act, the Voluntary Cleanup Program, nor the requirements of a Consent Order, the soil and groundwater analytical results were compared to the Connecticut RSRs to evaluate the levels of any detected contaminants within the investigated areas. This allows for management of any contaminated media encountered during the impending construction activities in a manner consistent with applicable regulations.

The reported concentrations for soils were compared to the Residential Direct Exposure Criteria (RES DEC) and the GA Pollutant Mobility Criteria (GA PMC) under the RSRs. The Industrial/Commercial (I/C) Criteria are not technically applicable at a site unless an Environmental Land Use Restriction (ELUR) is implemented, therefore, those criteria are not presented herein.

Soil Boring SB01

Soil boring SB01 was advanced along the eastern portion of the site to the west of the Czescik Homes in a presumed downgradient direction of the former gasoline station. There were no odors, staining or photoionization detection meter (PID) readings observed in soil in this area. Soil was collected from the 8-9 fbg interval which is presumed to be below the bottom of the former tank. The sample was submitted to the laboratory for analysis of VOCs and ETPH. The laboratory analytical results reported that no VOC concentrations were present in soil sample SB01. ETPH was reported to be present in this sample at a concentration of 480 parts per million (ppm). This concentration does not exceed Residential Direct Exposure Criteria (RDEC), the Industrial/Commercial Direct Exposure Criteria (I/C DEC) or the GB Pollutant Mobility Criteria (GB PMC).

Soil Boring SB02

Soil boring SB02 was advanced in the northern-most parking area at the site in a location presumed to be to the south of the former gasoline station. The soil observed to be present at this location from the 5-10 fbg interval was reported to be comprised of black stained silt with sand and rock fragments. The soil was reported to have a strong petroleum-type odor accompanied by a PID reading of 645 ppm. Soil sample SB02 (as well as its duplicate, SB06) was collected from this boring from the 8-10 fbg interval and submitted to the laboratory for VOC and ETPH analysis. The results indicated that several petroleum-related VOCs, including: 4-isopropyltoluene, isopropyltoluene, n-butylbenzene, n-propylbenzene and sec-butylbenzene were detected at concentrations that did not exceed the RSR criteria. ETPH was detected at a concentration of 1,100 ppm which exceeds the RDEC.



Soil Boring SB03

Soil boring SB03 was advanced along the southern portion of the former gasoline station. After three attempts to get to the desired depth of 10 fbg, the geoprobe was only able to reach a final depth of 6 fbg due to refusal. The soils consisted of silt, fine-to-coarse sand and rock fragments. There were no odors or staining observed in the soils collected from this area and a soil sample was collected from the 5-6 fbg interval. The soil sample was submitted to the laboratory for analysis of VOCs and ETPH. None of these compounds were detected.

Soil Boring SB04

Soil boring SB04 was advanced along the western side of the former gasoline station. The soils consisted of silt, fine-to-coarse sand and rock fragments. There were no odors or staining observed in the soils collected from this area and a soil sample was collected from the 8-10 fbg interval. The soil sample was submitted to the laboratory for analysis of VOCs and ETPH. Neither VOCs nor ETPH were reported to be present in soil collected from boring SB04.

Soil Boring SB05

Soil boring SB05 was advanced along the western side of the former gasoline station. The soils consisted of silt, fine-to-coarse sand and rock fragments. There were no odors or staining observed in the soils collected from this area and a soil sample was collected from the 8-10 fbg interval. The soil sample was submitted to the laboratory for analysis of VOCs and ETPH. Soil sample SB05 did not exhibit concentrations of VOCs or ETPH above the laboratory reporting limits.

Summary and Conclusions

TRC, along with Glacier Drilling, were on site at the 172 Greenwich Avenue property on April 28, 2017 to complete a limited Phase II site assessment. Soil borings were advanced along the western and southern sides of the former gasoline station as well as in the presumed downgradient direction to the east of the former station. A total of five soil samples (SB01 through SB05) were collected and submitted to CET of Stratford, Connecticut for analysis of VOCs and ETPH.

The laboratory results indicated that ETPH was present in two of the soil borings. Soils collected from boring SB01 exhibited an ETPH concentration that did not exceed applicable RSR criteria, however, soil collected from SB02 exhibited an ETPH concentration that exceeded the RDEC. In addition, several petroleum-based VOCs were detected in soils collected from SB02, however, at concentrations that did not exceed the RSR criteria. Soils collected from soil borings SB03 through SB05 were not reported to contain VOCs or ETPH.

The laboratory analytical results indicate that ETPH is present in soil collected from the 8-10 fbg interval at soil boring locations SB01 and SB02 at concentrations that exceed the RSR criteria, specifically, the RDEC. As stated above, although not subject to the RSRs, the data and conclusions presented have been evaluated relative to the criteria and provisions presented therein. Per the RSRs, the DEC are applicable to soils from 0-15 fbg unless there are four feet of clean soils above the impacted soil (in unpaved areas). Based on the correlation established during this limited investigation between the field observations and reported ETPH concentrations (i.e., low ETPH concentrations where there are low PID



readings and no evidence of odors or stains), it is likely that there is sufficient lesser-impacted or unimpacted soil above the identified impacts to render the soils, in essence, inaccessible. However, if there is planned re-grading or excavation associated with the redevelopment of the site, soil contamination at depth may be encountered and appropriate measures to protect human health and the environment should be taken. If you have any questions or concerns about the Limited Phase II Investigation, please feel free to contact me at (860) 298-6227 or ksheffield@trcsolutions.com.

Sincerely,
TRC



Kate Sheffield
Associate Project Manager



TABLES

City of Stamford
Limited Phase II Soil Results
172 Greenwich Avenue, Stamford, CT
May 2017

Sample Name: Sample Depth: Sample Date: Notes:	RDEC	I/C DEC	GB PMC	SB01 8-9 4/28/2017	SB02 8-10 4/28/2017	SB06 8-10 4/28/2017 DUPLICATE OF SB02	SB03 8-10 4/28/2017	SB04 8-10 4/28/2017	SB05 8-10 4/28/2017	SB20170428 4/28/2017 SOLVENT BLANK
Volatile Organic Compounds (ug/kg)				ND			ND	ND	ND	ND
Method 8260C										
4-isopropyltoluene	~	~	~		250	310				
Isopropylbenzene	~	~	~		170	200				
n-Butylbenzene	~	~	~		510	620				
n-Propylbenzene	~	~	~		160	170				
sec-Butylbenzene	~	~	~		1300	1500				
Extractable Total Petroleum Hydrocarbons (mg/kg)							ND	ND	ND	NA
CT ETPH	500	2,500	2,500	480	1100	1200				

Notes:

NA - Not Analyzed

ND - Not Detected

Shaded - Indicates a concentraton exceeds one or more of the CT RSR Criteria

- This is a hits only table. Refer to the full laboratory report for all laboratory reporting limits.


~ - Criteria not established

RDEC - Residential Direct Exposure Criteria

I/C DEC - Industrial/Commercial Direct Exposure Criteria

GB PMC - GB Pollutant Mobility Criteria

FIGURES



0 2000
Approximate Scale FT

0 1
Approximate Scale MILE




21 Griffin Road North
Windsor, Connecticut 06095
Phone: 860.298.9692

1:24000
BASE CREATED WITH TOPO®1996 WILDFLOWERS PRODUCTIONS,
www.topo.com 7.5' USGS TOPOGRAPHIC MAPS

FIGURE 1
SITE LOCATION MAP

DATE: 04/2017	PROJECT NO. 276017.000000.000000
---------------	----------------------------------



APPENDIX A

SOIL BORING LOGS



Results you can rely on

BORING NUMBER: SB01

Page 1 of 1

PROJECT INFORMATION						BORING INFORMATION				
Project Name: 172 Greenwich Avenue Limited Phase II						Boring Depth: 10	Hole Diameter: 2"			
Project Location: 172 Greenwich Avenue, Stamford, CT						Date Started: 4/28/17	Date Completed: 4/28/17			
Project Number: 276017.0002.0000						Coordinate System:				
Client: City of Stamford						North: Not Surveyed	East: Not Surveyed			
Logged By: Mark Winbourne						Vertical Datum:	Ground Elevation: Not Surveyed			
Checked By: Kate Sheffield										
DRILLING INFORMATION						GROUND WATER OBSERVATIONS				
Drilling Contractor: Glacier Drilling, LLC						MEASUREMENT	At Time of Drilling	At End of Drilling	After Drilling	
Driller(s): Mike & Terry						DATE				
Drilling Method: Geoprobe						DEPTH (ft.bgs.)	Not Observed			
Equipment/Model: Geoprobe 6610						REFERENCE				
Sampler: 5' Macrocore						STABILIZATION				
DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	PENETRATION (FT.)	RECOVERY (FT.)	LITHOLOGY	MATERIAL DESCRIPTION				◆ VOC SCREENING RESULTS (ppm)
						20	40	60	80	
1						0' - 0.33' TOPSOIL 0.33' - 2.67' Black and brown, F-M SAND & SILT, coarse gravel, trace rock fragments, moist, no odor, no staining, (coal and brick fragments)				
2	0-4	MC	4.0	2.7						◆
3										
4										◆
5										
6										
7										
8										
9										
10										
11										
12										
Bottom of borehole at 10.0 feet.										
<p>Notes: Soil Sample SB01(8-8.67) collected from 8 to 8.67 ftbg and analyzed for VOCs and CT ETPH.</p>										
<p>SOIL BORING/WELL COMPLETION WITH NOTES - SLUDGEPOUNDS GDT - 5/18/17 H:HAZMAT/STAMFORD/GREENWICH AVE PHASE I/II/PHASE II/172 GREENWICH AVE STAMFORD BORING LOGS.GPJ</p>										



BORING NUMBER: SB02

Page 1 of 1

PROJECT INFORMATION						BORING INFORMATION				
Project Name: 172 Greenwich Avenue Limited Phase II						Boring Depth: 10	Hole Diameter: 2"			
Project Location: 172 Greenwich Avenue, Stamford, CT						Date Started: 4/28/17	Date Completed: 4/28/17			
Project Number: 276017.0002.0000						Coordinate System:				
Client: City of Stamford						North: Not Surveyed	East: Not Surveyed			
Logged By: Mark Winbourne						Vertical Datum:	Ground Elevation: Not Surveyed			
Checked By: Kate Sheffield										
DRILLING INFORMATION						GROUND WATER OBSERVATIONS				
Drilling Contractor: Glacier Drilling, LLC						MEASUREMENT	<input checked="" type="checkbox"/> At Time of Drilling	<input checked="" type="checkbox"/> At End of Drilling	<input checked="" type="checkbox"/> After Drilling	
Driller(s): Mike & Terry						DATE				
Drilling Method: Geoprobe						DEPTH (ft.bgs.)	Not Observed			
Equipment/Model: Geoprobe 6610						REFERENCE				
Sampler: 5' Macrocore						STABILIZATION				
DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	PENETRATION (FT.)	RECOVERY (FT.)	LITHOLOGY	MATERIAL DESCRIPTION				◆ VOC SCREENING RESULTS (ppm)
						20	40	60	80	
1						0'- 0.17' ASPHALT				
						0.17'- 0.5' White and gray, F-C GRAVEL, dry, no odor, no staining, (sub-base)				
						0.5'- 2.5' Black and Dark reddish brown, F-C GRAVEL, coal, with silt, and fine to coarse sand, moist, no odor, no staining, (FILL)				
2										
3										
4										
5						5'- 6.25' Black and Dark reddish brown, F-C GRAVEL, coal, with silt, and fine to coarse sand, moist, no odor, no staining, (FILL)				
6										
7						6.25'- 7.5' Black, SILT, fine to coarse sand, rock fragments, moist, black staining, strong petroleum odor.				
8										
9										
10						Bottom of borehole at 10.0 feet.				
11										
12										
Notes: Soil Sample SB02(8-10) and duplicate soil sample SB06(8-10) collected from 8 to 10 ftbg and analyzed for VOCs and CT ETPH.										



BORING NUMBER: SB03

Page 1 of 1

PROJECT INFORMATION						BORING INFORMATION				
Project Name: 172 Greenwich Avenue Limited Phase II						Boring Depth: 6		Hole Diameter: 2"		
Project Location: 172 Greenwich Avenue, Stamford, CT						Date Started: 4/28/17		Date Completed: 4/28/17		
Project Number: 276017.0002.0000						Coordinate System:				
Client: City of Stamford						North: Not Surveyed		East: Not Surveyed		
Logged By: Mark Winbourne						Vertical Datum:		Ground Elevation: Not Surveyed		
Checked By: Kate Sheffield										
DRILLING INFORMATION						GROUND WATER OBSERVATIONS				
Drilling Contractor: Glacier Drilling, LLC						MEASUREMENT	At Time of Drilling	At End of Drilling	After Drilling	
Driller(s): Mike & Terry						DATE				
Drilling Method: Geoprobe						DEPTH (ft.bgs.)	Not Observed			
Equipment/Model: Geoprobe 6610						REFERENCE				
Sampler: 5' Macrocore						STABILIZATION				
DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	PENETRATION (FT.)	RECOVERY (FT.)	LITHOLOGY	MATERIAL DESCRIPTION				◆ VOC SCREENING RESULTS (ppm)
						20	40	60	80	
1	MC	5.0	4.0		0'- 0.25' ASPHALT 0.25'- 0.5' White, F-C GRAVEL, dry, no odor, no staining, (sub-base) 0.5'- 4' Medium Brown and reddish brown, SILT, fine to coarse sand, rock fragments, moist, no odor, no staining					
2										
3										
4										
5	MC	1.0	0.3		5'- 5.25' Medium Brown and reddish brown, SILT, fine to coarse sand, rock fragments, moist, no odor, no staining					
6						Refusal at 6.0 feet.				
7						Bottom of borehole at 6.0 feet.				
8										
<p>Notes: Soil Sample SB03(5-6) collected from 5 to 6 ftbg and analyzed for VOCs and CT ETPH.</p>										



Results you can rely on

BORING NUMBER: SB04

Page 1 of 1

PROJECT INFORMATION

Project Name:	172 Greenwich Avenue Limited Phase II
Project Location:	172 Greenwich Avenue, Stamford, CT
Project Number:	276017.0002.0000
Client:	City of Stamford
Logged By:	Mark Winbourne
Checked By:	Kate Sheffield

BORING INFORMATION


Boring Depth:	10	Hole Diameter:	2"
Date Started:	4/28/17	Date Completed:	4/28/17
Coordinate System:			
North:	Not Surveyed	East:	Not Surveyed
Vertical Datum:	Ground Elevation: Not Surveyed		

DRILLING INFORMATION

Drilling Contractor:	Glacier Drilling, LLC
Driller(s):	Mike & Terry
Drilling Method:	Geoprobe
Equipment/Model:	Geoprobe 6610
Sampler:	5' Macrocore

GROUND WATER OBSERVATIONS

MEASUREMENT	<input checked="" type="checkbox"/> At Time of Drilling	<input checked="" type="checkbox"/> At End of Drilling	<input checked="" type="checkbox"/> After Drilling
DATE			
DEPTH (ft.bgs.)	Not Observed		
REFERENCE			
STABILIZATION			



Notes: Soil Sample SB04(8-10) collected from 8 to 10 ftbg and analyzed for VOCs and CT ETPH.



BORING NUMBER: SB05

Page 1 of 1

PROJECT INFORMATION						BORING INFORMATION				
Project Name: 172 Greenwich Avenue Limited Phase II						Boring Depth: 10		Hole Diameter: 2"		
Project Location: 172 Greenwich Avenue, Stamford, CT						Date Started: 4/28/17		Date Completed: 4/28/17		
Project Number: 276017.0002.0000						Coordinate System:				
Client: City of Stamford						North: Not Surveyed		East: Not Surveyed		
Logged By: Mark Winbourne						Vertical Datum:		Ground Elevation: Not Surveyed		
Checked By: Kate Sheffield										
DRILLING INFORMATION						GROUND WATER OBSERVATIONS				
Drilling Contractor: Glacier Drilling, LLC						MEASUREMENT	<input checked="" type="checkbox"/> At Time of Drilling	<input checked="" type="checkbox"/> At End of Drilling	<input checked="" type="checkbox"/> After Drilling	
Driller(s): Mike & Terry						DATE				
Drilling Method: Geoprobe						DEPTH (ft.bgs.)	Not Observed			
Equipment/Model: Geoprobe 6610						REFERENCE				
Sampler: 4' Macrocore						STABILIZATION				
DEPTH (FT.)	SAMPLE NUMBER	SAMPLE TYPE	PENETRATION (FT.)	RECOVERY (FT.)	LITHOLOGY	MATERIAL DESCRIPTION				◆ VOC SCREENING RESULTS (ppm)
						20	40	60	80	
1						0' - 0.25' ASPHALT 0.25' - 4' Reddish Brown with whiteish gray, SILT, fine to coarse sand, gravel with rock fragments, moist, no odor, no staining, (FILL)				
2										
3										◆
4										
5						5' - 8.08' Reddish Brown with whiteish gray, SILT, fine to coarse sand, gravel with rock fragments, moist, no odor, no staining, (FILL)				
6										
7										
8										◆
9										
10										
11										
12										
Bottom of borehole at 10.0 feet.										
<p>Notes: Soil Sample SB05(8-10) collected from 8 to 10 ftbg and analyzed for VOCs and CT ETPH.</p>										

APPENDIX B

LABORATORY ANALYTICAL REPORTS

80 Luples Drive
Stratford, CT 06615



Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet1@cetlabs.com

Client: Ms. Kate Sheffield
TRC Environmental Consultants
21 Griffin Rd., North
Windsor, CT 06095

Analytical Report

CET# 7050013R

Report Date: May 18, 2017
Project: 172 Greenwich Ave, Stamford
Project Number: 276017.0002.0000
PO Number: 108416

Connecticut Laboratory Certificate: PH 0116
Massachusetts laboratory Certificate: M-CT903



New York NELAP Accreditation: 11982
Rhode Island Certification: 199

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

SAMPLE SUMMARY

The sample(s) were received at 1.2°C.

This report contains analytical data associated with following samples only.

Sample ID	Laboratory ID	Matrix	Collection Date/Time	Receipt Date
SB04 8-10ft	7050013-01	Soil	4/28/2017 11:00	04/28/2017
SB05 8-10ft	7050013-02	Soil	4/28/2017 11:15	04/28/2017
SB02 8-10ft	7050013-03	Soil	4/28/2017 11:30	04/28/2017
SB06 8-10ft	7050013-04	Soil	4/28/2017 12:30	04/28/2017
SB03 5-6ft	7050013-05	Soil	4/28/2017 12:00	04/28/2017
SB20170428	7050013-06	Soil	4/28/2017 12:30	04/28/2017
SB01 8-8.67ft	7050013-07	Soil	4/28/2017 13:00	04/28/2017

Analyte: Percent Solids [SM 2540 G]

Analyst: PJB

Matrix: Soil

Laboratory ID	Client Sample ID	Result	RL	Units	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
7050013-01	SB04 8-10ft	91	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	
7050013-02	SB05 8-10ft	85	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	
7050013-03	SB02 8-10ft	87	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	
7050013-04	SB06 8-10ft	85	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	
7050013-05	SB03 5-6ft	87	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	
7050013-07	SB01 8-8.67ft	88	1.0	%	1	B7E0128	05/01/2017	05/02/2017 14:50	

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB04 8-10ft**Lab ID: 7050013-01****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	ND	54	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 19:05	
Surrogate: Octacosane	83.2 %		50 - 150		B7E0325	05/03/2017	05/03/2017 19:05	

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	15	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F2
Chloromethane	ND	10	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Vinyl Chloride	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F2
Bromomethane	ND	10	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F2
Chloroethane	ND	10	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F2
Trichlorofluoromethane	ND	41	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F2
Acetone	ND	150	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Acrylonitrile	ND	8.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Trichlorotrifluoroethane	ND	41	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1-Dichloroethene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Methylene Chloride	ND	51	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	*F1*C1
Carbon Disulfide	ND	10	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Methyl-t-Butyl Ether (MTBE)	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
trans-1,2-Dichloroethene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1-Dichloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
2-Butanone (MEK)	ND	25	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
2,2-Dichloropropane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
cis-1,2-Dichloroethene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Bromochloromethane	ND	2.0	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Chloroform	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Tetrahydrofuran	ND	25	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1,1-Trichloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB04 8-10ft**Lab ID: 7050013-01****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
Carbon Tetrachloride	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1-Dichloropropene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Benzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2-Dichloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Trichloroethene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2-Dichloropropane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Dibromomethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Bromodichloromethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Methyl Isobutyl Ketone	ND	25	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
cis-1,3-Dichloropropene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Toluene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
trans-1,3-Dichloropropene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
2-Hexanone	ND	25	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1,2-Trichloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Tetrachloroethene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,3-Dichloropropane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Dibromochloromethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2-Dibromoethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
trans-1,4-Dichloro-2-Butene	ND	25	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Chlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1,1,2-Tetrachloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Ethylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
m+p Xylenes	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
o-Xylene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Styrene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Bromoform	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Isopropylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,1,2,2-Tetrachloroethane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Bromobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2,3-Trichloropropane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
n-Propylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
2-Chlorotoluene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
4-Chlorotoluene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,3,5-Trimethylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
tert-Butylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2,4-Trimethylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
sec-Butylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,3-Dichlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
4-Isopropyltoluene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB04 8-10ft

Lab ID: 7050013-01

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,4-Dichlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2-Dichlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
n-Butylbenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2-Dibromo-3-Chloropropane	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2,4-Trichlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Hexachlorobutadiene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
Naphthalene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
1,2,3-Trichlorobenzene	ND	5.1	1.85	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 15:52	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	97.1 %	70 - 130		B7E0329	05/03/2017	05/03/2017 15:52		
<i>Surrogate: Toluene-d8</i>	96.9 %	70 - 130		B7E0329	05/03/2017	05/03/2017 15:52		
<i>Surrogate: 4-Bromofluorobenzene</i>	107 %	70 - 130		B7E0329	05/03/2017	05/03/2017 15:52		

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB05 8-10ft**Lab ID: 7050013-02****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	ND	59	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 20:40	
Surrogate: Octacosane	76.7 %		50 - 150		B7E0325	05/03/2017	05/03/2017 20:40	

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	17	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F2
Chloromethane	ND	11	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Vinyl Chloride	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F2
Bromomethane	ND	11	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F2
Chloroethane	ND	11	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F2
Trichlorofluoromethane	ND	45	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F2
Acetone	ND	170	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Acrylonitrile	ND	9.1	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Trichlorotrifluoroethane	ND	45	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1-Dichloroethene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Methylene Chloride	ND	57	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	*F1*C1
Carbon Disulfide	ND	11	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Methyl-t-Butyl Ether (MTBE)	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
trans-1,2-Dichloroethene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1-Dichloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
2-Butanone (MEK)	ND	28	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
2,2-Dichloropropane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
cis-1,2-Dichloroethene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Bromochloromethane	ND	2.3	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Chloroform	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Tetrahydrofuran	ND	28	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1,1-Trichloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB05 8-10ft**Lab ID: 7050013-02****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
Carbon Tetrachloride	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1-Dichloropropene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Benzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2-Dichloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Trichloroethene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2-Dichloropropane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Dibromomethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Bromodichloromethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Methyl Isobutyl Ketone	ND	28	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
cis-1,3-Dichloropropene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Toluene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
trans-1,3-Dichloropropene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
2-Hexanone	ND	28	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1,2-Trichloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Tetrachloroethene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,3-Dichloropropane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Dibromochloromethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2-Dibromoethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
trans-1,4-Dichloro-2-Butene	ND	28	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Chlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1,1,2-Tetrachloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Ethylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
m+p Xylenes	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
o-Xylene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Styrene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Bromoform	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Isopropylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,1,2,2-Tetrachloroethane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Bromobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2,3-Trichloropropane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
n-Propylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
2-Chlorotoluene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
4-Chlorotoluene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,3,5-Trimethylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
tert-Butylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2,4-Trimethylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
sec-Butylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,3-Dichlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
4-Isopropyltoluene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB05 8-10ft

Lab ID: 7050013-02

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,4-Dichlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2-Dichlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
n-Butylbenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2-Dibromo-3-Chloropropane	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2,4-Trichlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Hexachlorobutadiene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
Naphthalene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
1,2,3-Trichlorobenzene	ND	5.7	1.93	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:14	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	97.9 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:14		
<i>Surrogate: Toluene-d8</i>	96.9 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:14		
<i>Surrogate: 4-Bromofluorobenzene</i>	106 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:14		

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB02 8-10ft**Lab ID: 7050013-03****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	1100	56	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 21:04	2
Surrogate: Octacosane	80.7 %	50 - 150			B7E0325	05/03/2017	05/03/2017 21:04	
2 C9-C28 Fuel Oil Range								

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	340	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F2
Chloromethane	ND	230	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Vinyl Chloride	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F2
Bromomethane	ND	230	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F2
Chloroethane	ND	230	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F2
Trichlorofluoromethane	ND	900	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F2
Acetone	ND	3400	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Acrylonitrile	ND	180	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Trichlorotrifluoroethane	ND	900	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1-Dichloroethene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Methylene Chloride	ND	1100	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	*F1*C1
Carbon Disulfide	ND	230	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Methyl-t-Butyl Ether (MTBE)	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
trans-1,2-Dichloroethene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1-Dichloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
2-Butanone (MEK)	ND	560	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
2,2-Dichloropropane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
cis-1,2-Dichloroethene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Bromochloromethane	ND	45	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Chloroform	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Tetrahydrofuran	ND	560	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1,1-Trichloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB02 8-10ft**Lab ID: 7050013-03****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
Carbon Tetrachloride	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1-Dichloropropene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Benzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2-Dichloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Trichloroethene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2-Dichloropropane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Dibromomethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Bromodichloromethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Methyl Isobutyl Ketone	ND	560	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
cis-1,3-Dichloropropene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Toluene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
trans-1,3-Dichloropropene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
2-Hexanone	ND	560	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1,2-Trichloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Tetrachloroethene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,3-Dichloropropane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Dibromochloromethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2-Dibromoethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
trans-1,4-Dichloro-2-Butene	ND	560	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Chlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1,1,2-Tetrachloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Ethylbenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
m+p Xylenes	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
o-Xylene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Styrene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Bromoform	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Isopropylbenzene	170	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,1,2,2-Tetrachloroethane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Bromobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2,3-Trichloropropane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
n-Propylbenzene	160	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
2-Chlorotoluene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
4-Chlorotoluene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,3,5-Trimethylbenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
tert-Butylbenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2,4-Trimethylbenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
sec-Butylbenzene	1300	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,3-Dichlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
4-Isopropyltoluene	250	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB02 8-10ft

Lab ID: 7050013-03

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,4-Dichlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2-Dichlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
n-Butylbenzene	510	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2-Dibromo-3-Chloropropane	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2,4-Trichlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Hexachlorobutadiene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
Naphthalene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
1,2,3-Trichlorobenzene	ND	110	39.37	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:06	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>93.4 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	<i>05/03/2017 15:06</i>	
<i>Surrogate: Toluene-d8</i>	<i>104 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	<i>05/03/2017 15:06</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>111 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	<i>05/03/2017 15:06</i>	

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB06 8-10ft**Lab ID: 7050013-04****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	1200	57	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 21:27	2
Surrogate: Octacosane	81.8 %	50 - 150			B7E0325	05/03/2017	05/03/2017 21:27	
2 C9-C28 Fuel Oil Range								

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	360	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F2
Chloromethane	ND	240	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Vinyl Chloride	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F2
Bromomethane	ND	240	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F2
Chloroethane	ND	240	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F2
Trichlorofluoromethane	ND	960	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F2
Acetone	ND	3600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Acrylonitrile	ND	190	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Trichlorotrifluoroethane	ND	960	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1-Dichloroethene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Methylene Chloride	ND	1200	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	*F1*C1
Carbon Disulfide	ND	240	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Methyl-t-Butyl Ether (MTBE)	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
trans-1,2-Dichloroethene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1-Dichloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
2-Butanone (MEK)	ND	600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
2,2-Dichloropropane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
cis-1,2-Dichloroethene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Bromochloromethane	ND	48	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Chloroform	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Tetrahydrofuran	ND	600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1,1-Trichloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB06 8-10ft**Lab ID: 7050013-04****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
Carbon Tetrachloride	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1-Dichloropropene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Benzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,2-Dichloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Trichloroethene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,2-Dichloropropane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Dibromomethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Bromodichloromethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Methyl Isobutyl Ketone	ND	600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
cis-1,3-Dichloropropene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Toluene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
trans-1,3-Dichloropropene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
2-Hexanone	ND	600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1,2-Trichloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Tetrachloroethene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,3-Dichloropropane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Dibromochloromethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,2-Dibromoethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
trans-1,4-Dichloro-2-Butene	ND	600	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Chlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1,1,2-Tetrachloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Ethylbenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
m+p Xylenes	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
o-Xylene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Styrene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Bromoform	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Isopropylbenzene	200	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,1,2,2-Tetrachloroethane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
Bromobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,2,3-Trichloropropane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
n-Propylbenzene	170	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
2-Chlorotoluene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
4-Chlorotoluene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,3,5-Trimethylbenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
tert-Butylbenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,2,4-Trimethylbenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
sec-Butylbenzene	1500	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
1,3-Dichlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	
4-Isopropyltoluene	310	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB06 8-10ft

Lab ID: 7050013-04

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Date/Time	Notes
1,4-Dichlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
1,2-Dichlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
n-Butylbenzene	620	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
1,2-Dibromo-3-Chloropropane	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
1,2,4-Trichlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
Hexachlorobutadiene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
Naphthalene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
1,2,3-Trichlorobenzene	ND	120	40.92	EPA 5035A-H	B7E0330	05/03/2017	05/03/2017 15:29		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>93.8 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	05/03/2017 15:29		
<i>Surrogate: Toluene-d8</i>	<i>105 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	05/03/2017 15:29		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>112 %</i>		<i>70 - 130</i>		B7E0330	05/03/2017	05/03/2017 15:29		

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB03 5-6ft**Lab ID: 7050013-05****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	ND	56	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 21:51	
Surrogate: Octacosane	81.5 %		50 - 150		B7E0325	05/03/2017	05/03/2017 21:51	

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	16	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F2
Chloromethane	ND	10	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Vinyl Chloride	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F2
Bromomethane	ND	10	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F2
Chloroethane	ND	10	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F2
Trichlorofluoromethane	ND	42	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F2
Acetone	ND	160	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Acrylonitrile	ND	8.3	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Trichlorotrifluoroethane	ND	42	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1-Dichloroethene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Methylene Chloride	ND	52	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	*F1*C1
Carbon Disulfide	ND	10	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Methyl-t-Butyl Ether (MTBE)	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
trans-1,2-Dichloroethene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1-Dichloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
2-Butanone (MEK)	ND	26	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
2,2-Dichloropropane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
cis-1,2-Dichloroethene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Bromochloromethane	ND	2.1	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Chloroform	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Tetrahydrofuran	ND	26	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1,1-Trichloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB03 5-6ft**Lab ID: 7050013-05****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
Carbon Tetrachloride	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1-Dichloropropene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Benzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2-Dichloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Trichloroethene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2-Dichloropropane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Dibromomethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Bromodichloromethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Methyl Isobutyl Ketone	ND	26	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
cis-1,3-Dichloropropene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Toluene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
trans-1,3-Dichloropropene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
2-Hexanone	ND	26	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1,2-Trichloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Tetrachloroethene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,3-Dichloropropane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Dibromochloromethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2-Dibromoethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
trans-1,4-Dichloro-2-Butene	ND	26	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Chlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1,1,2-Tetrachloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Ethylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
m+p Xylenes	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
o-Xylene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Styrene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Bromoform	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Isopropylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,1,2,2-Tetrachloroethane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Bromobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2,3-Trichloropropane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
n-Propylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
2-Chlorotoluene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
4-Chlorotoluene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,3,5-Trimethylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
tert-Butylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2,4-Trimethylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
sec-Butylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,3-Dichlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
4-Isopropyltoluene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB03 5-6ft

Lab ID: 7050013-05

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,4-Dichlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2-Dichlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
n-Butylbenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2-Dibromo-3-Chloropropane	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2,4-Trichlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Hexachlorobutadiene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
Naphthalene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
1,2,3-Trichlorobenzene	ND	5.2	1.82	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 16:37	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	99.7 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:37		
<i>Surrogate: Toluene-d8</i>	96.6 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:37		
<i>Surrogate: 4-Bromofluorobenzene</i>	107 %	70 - 130		B7E0329	05/03/2017	05/03/2017 16:37		

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB20170428**Lab ID: 7050013-06****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg wet)	RL (ug/kg wet)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	7.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	*C1
Chloromethane	ND	5.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	*C1
Vinyl Chloride	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Bromomethane	ND	5.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Chloroethane	ND	5.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Trichlorofluoromethane	ND	20	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Acetone	ND	75	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Acrylonitrile	ND	4.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Trichlorotrifluoroethane	ND	20	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1-Dichloroethene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Methylene Chloride	ND	25	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	*F1*C1
Carbon Disulfide	ND	5.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Methyl-t-Butyl Ether (MTBE)	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
trans-1,2-Dichloroethene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1-Dichloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
2-Butanone (MEK)	ND	13	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
2,2-Dichloropropane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
cis-1,2-Dichloroethene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Bromochloromethane	ND	1.0	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Chloroform	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Tetrahydrofuran	ND	13	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1,1-Trichloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Carbon Tetrachloride	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1-Dichloropropene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Benzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2-Dichloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Trichloroethene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2-Dichloropropane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Dibromomethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Bromodichloromethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Methyl Isobutyl Ketone	ND	13	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
cis-1,3-Dichloropropene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Toluene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
trans-1,3-Dichloropropene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
2-Hexanone	ND	13	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1,2-Trichloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Tetrachloroethene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 18 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB20170428**Lab ID: 7050013-06****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg wet)	RL (ug/kg wet)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,3-Dichloropropane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Dibromochloromethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2-Dibromoethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
trans-1,4-Dichloro-2-Butene	ND	13	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Chlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1,1,2-Tetrachloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Ethylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
m+p Xylenes	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
o-Xylene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Styrene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Bromoform	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Isopropylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,1,2,2-Tetrachloroethane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Bromobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2,3-Trichloropropane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
n-Propylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
2-Chlorotoluene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
4-Chlorotoluene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,3,5-Trimethylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
tert-Butylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2,4-Trimethylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
sec-Butylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,3-Dichlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
4-Isopropyltoluene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,4-Dichlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2-Dichlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
n-Butylbenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2-Dibromo-3-Chloropropane	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2,4-Trichlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Hexachlorobutadiene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
Naphthalene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
1,2,3-Trichlorobenzene	ND	2.5	1	EPA 5035A-L	B7E0124	05/01/2017	05/01/2017 20:43	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	97.1 %	70 - 130			B7E0124	05/01/2017	05/01/2017 20:43	
<i>Surrogate: Toluene-d8</i>	99.2 %	70 - 130			B7E0124	05/01/2017	05/01/2017 20:43	
<i>Surrogate: 4-Bromofluorobenzene</i>	99.5 %	70 - 130			B7E0124	05/01/2017	05/01/2017 20:43	

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 19 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB01 8-8.67ft**Lab ID: 7050013-07****Conn. Extractable TPH****Analyst: MH****Method: CT-ETPH****Matrix: Soil**

Analyte	Result (mg/kg dry)	RL (mg/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
ETPH	480	56	1	EPA 3550C	B7E0325	05/03/2017	05/03/2017 22:15	1
Surrogate: Octacosane	83.6 %	50 - 150			B7E0325	05/03/2017	05/03/2017 22:15	

1 C18-C36 may be PNA Related

Volatile Organics**Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Dichlorodifluoromethane	ND	17	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F2
Chloromethane	ND	11	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Vinyl Chloride	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F2
Bromomethane	ND	11	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F2
Chloroethane	ND	11	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F2
Trichlorofluoromethane	ND	44	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F2
Acetone	ND	170	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Acrylonitrile	ND	8.8	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Trichlorotrifluoroethane	ND	44	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1-Dichloroethene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Methylene Chloride	ND	55	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	*F1*C1
Carbon Disulfide	ND	11	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Methyl-t-Butyl Ether (MTBE)	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
trans-1,2-Dichloroethene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1-Dichloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
2-Butanone (MEK)	ND	28	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
2,2-Dichloropropane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
cis-1,2-Dichloroethene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Bromochloromethane	ND	2.2	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Chloroform	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Tetrahydrofuran	ND	28	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1,1-Trichloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 20 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB01 8-8.67ft**Lab ID: 7050013-07****Volatile Organics****Analyst: DAH****Method: EPA 8260C****Matrix: Soil**

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Date/Time Analyzed	Notes
Carbon Tetrachloride	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1-Dichloropropene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Benzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2-Dichloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Trichloroethene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2-Dichloropropane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Dibromomethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Bromodichloromethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Methyl Isobutyl Ketone	ND	28	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
cis-1,3-Dichloropropene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Toluene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
trans-1,3-Dichloropropene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
2-Hexanone	ND	28	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1,2-Trichloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Tetrachloroethene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,3-Dichloropropane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Dibromochloromethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2-Dibromoethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
trans-1,4-Dichloro-2-Butene	ND	28	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Chlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1,1,2-Tetrachloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Ethylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
m+p Xylenes	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
o-Xylene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Styrene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Bromoform	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Isopropylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,1,2,2-Tetrachloroethane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Bromobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2,3-Trichloropropane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
n-Propylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
2-Chlorotoluene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
4-Chlorotoluene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,3,5-Trimethylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
tert-Butylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2,4-Trimethylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
sec-Butylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,3-Dichlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
4-Isopropyltoluene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	

Complete Environmental Testing, Inc.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Client Sample ID SB01 8-8.67ft

Lab ID: 7050013-07

Volatile Organics

Analyst: DAH

Method: EPA 8260C

Matrix: Soil

Analyte	Result (ug/kg dry)	RL (ug/kg dry)	Dilution	Prep Method	Batch	Prepared	Analyzed	Notes
1,4-Dichlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2-Dichlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
n-Butylbenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2-Dibromo-3-Chloropropane	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2,4-Trichlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Hexachlorobutadiene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
Naphthalene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
1,2,3-Trichlorobenzene	ND	5.5	1.94	EPA 5035A-L	B7E0329	05/03/2017	05/03/2017 17:00	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	105 %	70 - 130		B7E0329	05/03/2017	05/03/2017 17:00		
<i>Surrogate: Toluene-d8</i>	95.6 %	70 - 130		B7E0329	05/03/2017	05/03/2017 17:00		
<i>Surrogate: 4-Bromofluorobenzene</i>	99.1 %	70 - 130		B7E0329	05/03/2017	05/03/2017 17:00		

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

QUALITY CONTROL SECTION**Batch B7E0124 - EPA 8260C**

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0124-BLK1)									Prepared: 5/1/2017 Analyzed: 5/1/2017
Dichlorodifluoromethane	ND	7.5							
Chloromethane	ND	5.0							
Vinyl Chloride	ND	2.5							
Bromomethane	ND	5.0							
Chloroethane	ND	5.0							
Trichlorofluoromethane	ND	20							
Acetone	ND	75							
Acrylonitrile	ND	4.0							
Trichlorotrifluoroethane	ND	20							
1,1-Dichloroethene	ND	2.5							
Methylene Chloride	ND	25							
Carbon Disulfide	ND	5.0							
Methyl-t-Butyl Ether (MTBE)	ND	2.5							
trans-1,2-Dichloroethene	ND	2.5							
1,1-Dichloroethane	ND	2.5							
2-Butanone (MEK)	ND	13							
2,2-Dichloropropane	ND	2.5							
cis-1,2-Dichloroethene	ND	2.5							
Bromochloromethane	ND	1.0							
Chloroform	ND	2.5							
Tetrahydrofuran	ND	13							
1,1,1-Trichloroethane	ND	2.5							
Carbon Tetrachloride	ND	2.5							
1,1-Dichloropropene	ND	2.5							
Benzene	ND	2.5							
1,2-Dichloroethane	ND	2.5							
Trichloroethene	ND	2.5							
1,2-Dichloropropane	ND	2.5							
Dibromomethane	ND	2.5							
Bromodichloromethane	ND	2.5							
Methyl Isobutyl Ketone	ND	13							
cis-1,3-Dichloropropene	ND	2.5							
Toluene	ND	2.5							
trans-1,3-Dichloropropene	ND	2.5							
2-Hexanone	ND	13							
1,1,2-Trichloroethane	ND	2.5							
Tetrachloroethene	ND	2.5							
1,3-Dichloropropane	ND	2.5							
Dibromochloromethane	ND	2.5							
1,2-Dibromoethane	ND	2.5							
trans-1,4-Dichloro-2-Butene	ND	13							
Chlorobenzene	ND	2.5							
1,1,1,2-Tetrachloroethane	ND	2.5							
Ethylbenzene	ND	2.5							
m+p Xylenes	ND	2.5							
o-Xylene	ND	2.5							
Styrene	ND	2.5							
Bromoform	ND	2.5							
Isopropylbenzene	ND	2.5							

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 23 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0124-BLK1) - Continued									Prepared: 5/1/2017 Analyzed: 5/1/2017
1,1,2,2-Tetrachloroethane	ND	2.5							
Bromobenzene	ND	2.5							
1,2,3-Trichloropropane	ND	2.5							
n-Propylbenzene	ND	2.5							
2-Chlorotoluene	ND	2.5							
4-Chlorotoluene	ND	2.5							
1,3,5-Trimethylbenzene	ND	2.5							
tert-Butylbenzene	ND	2.5							
1,2,4-Trimethylbenzene	ND	2.5							
sec-Butylbenzene	ND	2.5							
1,3-Dichlorobenzene	ND	2.5							
4-Isopropyltoluene	ND	2.5							
1,4-Dichlorobenzene	ND	2.5							
1,2-Dichlorobenzene	ND	2.5							
n-Butylbenzene	ND	2.5							
1,2-Dibromo-3-Chloropropane	ND	2.5							
1,2,4-Trichlorobenzene	ND	2.5							
Hexachlorobutadiene	ND	2.5							
Naphthalene	ND	2.5							
1,2,3-Trichlorobenzene	ND	2.5							
<i>Surrogate: 1,2-Dichloroethane-d4</i>					126	70 - 130			
<i>Surrogate: Toluene-d8</i>					99.1	70 - 130			
<i>Surrogate: 4-Bromofluorobenzene</i>					100	70 - 130			
LCS (B7E0124-BS1)									Prepared: 5/1/2017 Analyzed: 5/1/2017
Dichlorodifluoromethane	44.3	7.5	50.000		88.5	70 - 130			
Chloromethane	41.6	5.0	50.000		83.1	70 - 130			
Vinyl Chloride	46.7	2.5	50.000		93.4	70 - 130			
Bromomethane	45.9	5.0	50.000		91.8	70 - 130			
Chloroethane	49.6	5.0	50.000		99.3	70 - 130			
Trichlorofluoromethane	52.4	20	50.000		105	70 - 130			
Acetone	82.1	75	100.000		82.1	70 - 130			
Acrylonitrile	45.2	4.0	50.000		90.3	70 - 130			
Trichlorotrifluoroethane	54.5	20	50.000		109	70 - 130			
1,1-Dichloroethene	53.1	2.5	50.000		106	70 - 130			
Methylene Chloride	29.8	25	50.000		59.6	70 - 130			L
Carbon Disulfide	52.7	5.0	50.000		105	70 - 130			
Methyl-t-Butyl Ether (MTBE)	42.1	2.5	50.000		84.1	70 - 130			
trans-1,2-Dichloroethene	48.1	2.5	50.000		96.2	70 - 130			
1,1-Dichloroethane	45.4	2.5	50.000		90.9	70 - 130			
2-Butanone (MEK)	95.7	13	100.000		95.7	70 - 130			
2,2-Dichloropropane	49.3	2.5	50.000		98.6	70 - 130			
cis-1,2-Dichloroethene	45.3	2.5	50.000		90.7	70 - 130			
Bromochloromethane	41.5	1.0	50.000		83.0	70 - 130			
Chloroform	44.5	2.5	50.000		89.1	70 - 130			
Tetrahydrofuran	42.7	13	50.000		85.3	70 - 130			
1,1,1-Trichloroethane	46.8	2.5	50.000		93.6	70 - 130			
Carbon Tetrachloride	43.7	2.5	50.000		87.4	70 - 130			
1,1-Dichloropropene	47.4	2.5	50.000		94.9	70 - 130			
Benzene	42.9	2.5	50.000		85.8	70 - 130			
1,2-Dichloroethane	38.5	2.5	50.000		77.1	70 - 130			
Trichloroethene	47.5	2.5	50.000		95.0	70 - 130			
1,2-Dichloropropane	40.9	2.5	50.000		81.8	70 - 130			

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 24 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
LCS (B7E0124-BS1) - Continued									Prepared: 5/1/2017 Analyzed: 5/1/2017
Dibromomethane	42.1	2.5	50.000		84.3	70 - 130			
Bromodichloromethane	41.3	2.5	50.000		82.6	70 - 130			
Methyl Isobutyl Ketone	83.8	13	100.000		83.8	70 - 130			
cis-1,3-Dichloropropene	42.0	2.5	50.000		84.1	70 - 130			
Toluene	42.9	2.5	50.000		85.7	70 - 130			
trans-1,3-Dichloropropene	40.9	2.5	50.000		81.8	70 - 130			
2-Hexanone	90.6	13	100.000		90.6	70 - 130			
1,1,2-Trichloroethane	41.8	2.5	50.000		83.6	70 - 130			
Tetrachloroethene	46.9	2.5	50.000		93.8	70 - 130			
1,3-Dichloropropane	40.7	2.5	50.000		81.5	70 - 130			
Dibromochloromethane	43.9	2.5	50.000		87.7	70 - 130			
1,2-Dibromoethane	41.4	2.5	50.000		82.7	70 - 130			
trans-1,4-Dichloro-2-Butene	44.8	13	50.000		89.6	70 - 130			
Chlorobenzene	44.3	2.5	50.000		88.6	70 - 130			
1,1,2-Tetrachloroethane	45.2	2.5	50.000		90.4	70 - 130			
Ethylbenzene	45.5	2.5	50.000		91.0	70 - 130			
m+p Xylenes	93.1	2.5	100.000		93.1	70 - 130			
o-Xylene	46.0	2.5	50.000		91.9	70 - 130			
Styrene	46.6	2.5	50.000		93.3	70 - 130			
Bromoform	46.3	2.5	50.000		92.6	70 - 130			
Isopropylbenzene	49.9	2.5	50.000		99.8	70 - 130			
1,1,2,2-Tetrachloroethane	44.9	2.5	50.000		89.8	70 - 130			
Bromobenzene	44.5	2.5	50.000		89.0	70 - 130			
1,2,3-Trichloropropane	46.0	2.5	50.000		92.1	70 - 130			
n-Propylbenzene	48.8	2.5	50.000		97.5	70 - 130			
2-Chlorotoluene	47.5	2.5	50.000		94.9	70 - 130			
4-Chlorotoluene	47.7	2.5	50.000		95.5	70 - 130			
1,3,5-Trimethylbenzene	48.7	2.5	50.000		97.4	70 - 130			
tert-Butylbenzene	51.7	2.5	50.000		103	70 - 130			
1,2,4-Trimethylbenzene	48.4	2.5	50.000		96.8	70 - 130			
sec-Butylbenzene	51.4	2.5	50.000		103	70 - 130			
1,3-Dichlorobenzene	48.6	2.5	50.000		97.3	70 - 130			
4-Isopropyltoluene	52.6	2.5	50.000		105	70 - 130			
1,4-Dichlorobenzene	48.7	2.5	50.000		97.5	70 - 130			
1,2-Dichlorobenzene	48.2	2.5	50.000		96.5	70 - 130			
n-Butylbenzene	51.7	2.5	50.000		103	70 - 130			
1,2-Dibromo-3-Chloropropane	50.1	2.5	50.000		100	70 - 130			
1,2,4-Trichlorobenzene	50.1	2.5	50.000		100	70 - 130			
Hexachlorobutadiene	51.9	2.5	50.000		104	70 - 130			
Naphthalene	47.7	2.5	50.000		95.4	70 - 130			
1,2,3-Trichlorobenzene	48.3	2.5	50.000		96.5	70 - 130			
Surrogate: 1,2-Dichloroethane-d4					95.2	70 - 130			
Surrogate: Toluene-d8					97.3	70 - 130			
Surrogate: 4-Bromofluorobenzene					103	70 - 130			

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Batch B7E0325 - CT-ETPH

Analyte	Result (mg/kg)	RL (mg/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0325-BLK1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
ETPH	ND	50							
<i>Surrogate: Octacosane</i>									
					84.0	50 - 150			
LCS (B7E0325-BS1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
ETPH	1260	50	1,500.000		84.1	60 - 120			
<i>Surrogate: Octacosane</i>									
					81.8	50 - 150			
Duplicate (B7E0325-DUP1)				Source: 7050013-01					Prepared: 5/3/2017 Analyzed: 5/3/2017
ETPH	ND	55		ND				30	
<i>Surrogate: Octacosane</i>									
					84.6	50 - 150			
Matrix Spike (B7E0325-MS1)				Source: 7050013-01					Prepared: 5/3/2017 Analyzed: 5/3/2017
ETPH	1360	55	1,637.998	ND	83.3	50 - 150			
<i>Surrogate: Octacosane</i>									
					82.6	50 - 150			
Matrix Spike Dup (B7E0325-MSD1)				Source: 7050013-01					Prepared: 5/3/2017 Analyzed: 5/3/2017
ETPH	1420	55	1,647.806	ND	85.9	50 - 150	3.67	30	
<i>Surrogate: Octacosane</i>									
					82.7	50 - 150			

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Batch B7E0329 - EPA 8260C

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0329-BLK1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
Dichlorodifluoromethane	ND	7.5							
Chloromethane	ND	5.0							
Vinyl Chloride	ND	2.5							
Bromomethane	ND	5.0							
Chloroethane	ND	5.0							
Trichlorofluoromethane	ND	20							
Acetone	ND	75							
Acrylonitrile	ND	4.0							
Trichlorotrifluoroethane	ND	20							
1,1-Dichloroethene	ND	2.5							
Methylene Chloride	ND	25							
Carbon Disulfide	ND	5.0							
Methyl-t-Butyl Ether (MTBE)	ND	2.5							
trans-1,2-Dichloroethene	ND	2.5							
1,1-Dichloroethane	ND	2.5							
2-Butanone (MEK)	ND	13							
2,2-Dichloropropane	ND	2.5							
cis-1,2-Dichloroethene	ND	2.5							
Bromochloromethane	ND	1.0							
Chloroform	ND	2.5							
Tetrahydrofuran	ND	13							
1,1,1-Trichloroethane	ND	2.5							
Carbon Tetrachloride	ND	2.5							
1,1-Dichloropropene	ND	2.5							
Benzene	ND	2.5							
1,2-Dichloroethane	ND	2.5							
Trichloroethene	ND	2.5							
1,2-Dichloropropane	ND	2.5							
Dibromomethane	ND	2.5							
Bromodichloromethane	ND	2.5							
Methyl Isobutyl Ketone	ND	13							
cis-1,3-Dichloropropene	ND	2.5							
Toluene	ND	2.5							
trans-1,3-Dichloropropene	ND	2.5							
2-Hexanone	ND	13							
1,1,2-Trichloroethane	ND	2.5							
Tetrachloroethene	ND	2.5							
1,3-Dichloropropane	ND	2.5							
Dibromochloromethane	ND	2.5							
1,2-Dibromoethane	ND	2.5							
trans-1,4-Dichloro-2-Butene	ND	13							
Chlorobenzene	ND	2.5							
1,1,1,2-Tetrachloroethane	ND	2.5							
Ethylbenzene	ND	2.5							
m+p Xylenes	ND	2.5							
o-Xylene	ND	2.5							
Styrene	ND	2.5							
Bromoform	ND	2.5							
Isopropylbenzene	ND	2.5							
1,1,2,2-Tetrachloroethane	ND	2.5							
Bromobenzene	ND	2.5							
1,2,3-Trichloropropane	ND	2.5							

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 27 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0329-BLK1) - Continued									Prepared: 5/3/2017 Analyzed: 5/3/2017
n-Propylbenzene	ND	2.5							
2-Chlorotoluene	ND	2.5							
4-Chlorotoluene	ND	2.5							
1,3,5-Trimethylbenzene	ND	2.5							
tert-Butylbenzene	ND	2.5							
1,2,4-Trimethylbenzene	ND	2.5							
sec-Butylbenzene	ND	2.5							
1,3-Dichlorobenzene	ND	2.5							
4-Isopropyltoluene	ND	2.5							
1,4-Dichlorobenzene	ND	2.5							
1,2-Dichlorobenzene	ND	2.5							
n-Butylbenzene	ND	2.5							
1,2-Dibromo-3-Chloropropane	ND	2.5							
1,2,4-Trichlorobenzene	ND	2.5							
Hexachlorobutadiene	ND	2.5							
Naphthalene	ND	2.5							
1,2,3-Trichlorobenzene	ND	2.5							
<i>Surrogate: 1,2-Dichloroethane-d4</i>					109	70 - 130			
<i>Surrogate: Toluene-d8</i>					96.7	70 - 130			
<i>Surrogate: 4-Bromofluorobenzene</i>					108	70 - 130			
LCS (B7E0329-BS1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
Dichlorodifluoromethane	92.2	7.5	50.000		184	70 - 130			H
Chloromethane	61.6	5.0	50.000		123	70 - 130			
Vinyl Chloride	72.9	2.5	50.000		146	70 - 130			H
Bromomethane	67.7	5.0	50.000		135	70 - 130			H
Chloroethane	72.1	5.0	50.000		144	70 - 130			H
Trichlorofluoromethane	76.6	20	50.000		153	70 - 130			H
Acetone	87.0	75	100.000		87.0	70 - 130			
Acrylonitrile	46.5	4.0	50.000		92.9	70 - 130			
Trichlorotrifluoroethane	57.8	20	50.000		116	70 - 130			
1,1-Dichloroethene	56.0	2.5	50.000		112	70 - 130			
Methylene Chloride	24.9	20	50.000		49.8	70 - 130			L
Carbon Disulfide	53.2	5.0	50.000		106	70 - 130			
Methyl-t-Butyl Ether (MTBE)	44.3	2.5	50.000		88.6	70 - 130			
trans-1,2-Dichloroethene	51.8	2.5	50.000		104	70 - 130			
1,1-Dichloroethane	49.0	2.5	50.000		97.9	70 - 130			
2-Butanone (MEK)	102	13	100.000		102	70 - 130			
2,2-Dichloropropane	55.0	2.5	50.000		110	70 - 130			
cis-1,2-Dichloroethene	49.1	2.5	50.000		98.2	70 - 130			
Bromochloromethane	44.5	1.0	50.000		89.0	70 - 130			
Chloroform	49.3	2.5	50.000		98.7	70 - 130			
Tetrahydrofuran	44.5	13	50.000		89.0	70 - 130			
1,1,1-Trichloroethane	56.0	2.5	50.000		112	70 - 130			
Carbon Tetrachloride	51.4	2.5	50.000		103	70 - 130			
1,1-Dichloropropene	55.8	2.5	50.000		112	70 - 130			
Benzene	49.7	2.5	50.000		99.3	70 - 130			
1,2-Dichloroethane	44.9	2.5	50.000		89.8	70 - 130			
Trichloroethene	56.8	2.5	50.000		114	70 - 130			
1,2-Dichloropropane	47.5	2.5	50.000		95.0	70 - 130			
Dibromomethane	49.4	2.5	50.000		98.8	70 - 130			
Bromodichloromethane	48.3	2.5	50.000		96.6	70 - 130			
Methyl Isobutyl Ketone	88.5	13	100.000		88.5	70 - 130			

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
LCS (B7E0329-BS1) - Continued									Prepared: 5/3/2017 Analyzed: 5/3/2017
cis-1,3-Dichloropropene	48.9	2.5	50.000		97.7	70 - 130			
Toluene	50.9	2.5	50.000		102	70 - 130			
trans-1,3-Dichloropropene	47.3	2.5	50.000		94.5	70 - 130			
2-Hexanone	96.4	13	100.000		96.4	70 - 130			
1,1,2-Trichloroethane	47.5	2.5	50.000		94.9	70 - 130			
Tetrachloroethene	56.3	2.5	50.000		113	70 - 130			
1,3-Dichloropropane	46.2	2.5	50.000		92.3	70 - 130			
Dibromochloromethane	48.9	2.5	50.000		97.8	70 - 130			
1,2-Dibromoethane	45.7	2.5	50.000		91.5	70 - 130			
trans-1,4-Dichloro-2-Butene	47.3	13	50.000		94.7	70 - 130			
Chlorobenzene	49.9	2.5	50.000		99.9	70 - 130			
1,1,1,2-Tetrachloroethane	51.1	2.5	50.000		102	70 - 130			
Ethylbenzene	51.9	2.5	50.000		104	70 - 130			
m+p Xylenes	105	2.5	100.000		105	70 - 130			
o-Xylene	51.8	2.5	50.000		104	70 - 130			
Styrene	52.1	2.5	50.000		104	70 - 130			
Bromoform	50.4	2.5	50.000		101	70 - 130			
Isopropylbenzene	56.8	2.5	50.000		114	70 - 130			
1,1,2,2-Tetrachloroethane	47.6	2.5	50.000		95.2	70 - 130			
Bromobenzene	47.6	2.5	50.000		95.2	70 - 130			
1,2,3-Trichloropropane	46.4	2.5	50.000		92.8	70 - 130			
n-Propylbenzene	53.1	2.5	50.000		106	70 - 130			
2-Chlorotoluene	51.4	2.5	50.000		103	70 - 130			
4-Chlorotoluene	51.8	2.5	50.000		104	70 - 130			
1,3,5-Trimethylbenzene	52.7	2.5	50.000		105	70 - 130			
tert-Butylbenzene	56.7	2.5	50.000		113	70 - 130			
1,2,4-Trimethylbenzene	52.1	2.5	50.000		104	70 - 130			
sec-Butylbenzene	56.6	2.5	50.000		113	70 - 130			
1,3-Dichlorobenzene	52.3	2.5	50.000		105	70 - 130			
4-Isopropyltoluene	57.5	2.5	50.000		115	70 - 130			
1,4-Dichlorobenzene	51.8	2.5	50.000		104	70 - 130			
1,2-Dichlorobenzene	51.7	2.5	50.000		103	70 - 130			
n-Butylbenzene	56.8	2.5	50.000		114	70 - 130			
1,2-Dibromo-3-Chloropropane	52.6	2.5	50.000		105	70 - 130			
1,2,4-Trichlorobenzene	56.2	2.5	50.000		112	70 - 130			
Hexachlorobutadiene	61.7	2.5	50.000		123	70 - 130			
Naphthalene	51.9	2.5	50.000		104	70 - 130			
1,2,3-Trichlorobenzene	54.8	2.5	50.000		110	70 - 130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>					98.8	70 - 130			
<i>Surrogate: Toluene-d8</i>					96.5	70 - 130			
<i>Surrogate: 4-Bromofluorobenzene</i>					106	70 - 130			

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Batch B7E0330 - EPA 8260C

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0330-BLK1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
Dichlorodifluoromethane	ND	7.5							
Chloromethane	ND	5.0							
Vinyl Chloride	ND	2.5							
Bromomethane	ND	5.0							
Chloroethane	ND	5.0							
Trichlorofluoromethane	ND	20							
Acetone	ND	75							
Acrylonitrile	ND	4.0							
Trichlorotrifluoroethane	ND	20							
1,1-Dichloroethene	ND	2.5							
Methylene Chloride	ND	25							
Carbon Disulfide	ND	5.0							
Methyl-t-Butyl Ether (MTBE)	ND	2.5							
trans-1,2-Dichloroethene	ND	2.5							
1,1-Dichloroethane	ND	2.5							
2-Butanone (MEK)	ND	13							
2,2-Dichloropropane	ND	2.5							
cis-1,2-Dichloroethene	ND	2.5							
Bromochloromethane	ND	1.0							
Chloroform	ND	2.5							
Tetrahydrofuran	ND	13							
1,1,1-Trichloroethane	ND	2.5							
Carbon Tetrachloride	ND	2.5							
1,1-Dichloropropene	ND	2.5							
Benzene	ND	2.5							
1,2-Dichloroethane	ND	2.5							
Trichloroethene	ND	2.5							
1,2-Dichloropropane	ND	2.5							
Dibromomethane	ND	2.5							
Bromodichloromethane	ND	2.5							
Methyl Isobutyl Ketone	ND	13							
cis-1,3-Dichloropropene	ND	2.5							
Toluene	ND	2.5							
trans-1,3-Dichloropropene	ND	2.5							
2-Hexanone	ND	13							
1,1,2-Trichloroethane	ND	2.5							
Tetrachloroethene	ND	2.5							
1,3-Dichloropropane	ND	2.5							
Dibromochloromethane	ND	2.5							
1,2-Dibromoethane	ND	2.5							
trans-1,4-Dichloro-2-Butene	ND	13							
Chlorobenzene	ND	2.5							
1,1,1,2-Tetrachloroethane	ND	2.5							
Ethylbenzene	ND	2.5							
m+p Xylenes	ND	2.5							
o-Xylene	ND	2.5							
Styrene	ND	2.5							
Bromoform	ND	2.5							
Isopropylbenzene	ND	2.5							
1,1,2,2-Tetrachloroethane	ND	2.5							
Bromobenzene	ND	2.5							
1,2,3-Trichloropropane	ND	2.5							

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

Page 30 of 39

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Blank (B7E0330-BLK1) - Continued									Prepared: 5/3/2017 Analyzed: 5/3/2017
n-Propylbenzene	ND	2.5							
2-Chlorotoluene	ND	2.5							
4-Chlorotoluene	ND	2.5							
1,3,5-Trimethylbenzene	ND	2.5							
tert-Butylbenzene	ND	2.5							
1,2,4-Trimethylbenzene	ND	2.5							
sec-Butylbenzene	ND	2.5							
1,3-Dichlorobenzene	ND	2.5							
4-Isopropyltoluene	ND	2.5							
1,4-Dichlorobenzene	ND	2.5							
1,2-Dichlorobenzene	ND	2.5							
n-Butylbenzene	ND	2.5							
1,2-Dibromo-3-Chloropropane	ND	2.5							
1,2,4-Trichlorobenzene	ND	2.5							
Hexachlorobutadiene	ND	2.5							
Naphthalene	ND	2.5							
1,2,3-Trichlorobenzene	ND	2.5							
<i>Surrogate: 1,2-Dichloroethane-d4</i>					109	70 - 130			
<i>Surrogate: Toluene-d8</i>					96.7	70 - 130			
<i>Surrogate: 4-Bromofluorobenzene</i>					108	70 - 130			
LCS (B7E0330-BS1)									Prepared: 5/3/2017 Analyzed: 5/3/2017
Dichlorodifluoromethane	92.2	7.5	50.000		184	70 - 130			H
Chloromethane	61.6	5.0	50.000		123	70 - 130			
Vinyl Chloride	72.9	2.5	50.000		146	70 - 130			H
Bromomethane	67.7	5.0	50.000		135	70 - 130			H
Chloroethane	72.1	5.0	50.000		144	70 - 130			H
Trichlorofluoromethane	76.6	20	50.000		153	70 - 130			H
Acetone	87.0	75	100.000		87.0	70 - 130			
Acrylonitrile	46.5	4.0	50.000		92.9	70 - 130			
Trichlorotrifluoroethane	57.8	20	50.000		116	70 - 130			
1,1-Dichloroethene	56.0	2.5	50.000		112	70 - 130			
Methylene Chloride	24.9	20	50.000		49.8	70 - 130			L
Carbon Disulfide	53.2	5.0	50.000		106	70 - 130			
Methyl-t-Butyl Ether (MTBE)	44.3	2.5	50.000		88.6	70 - 130			
trans-1,2-Dichloroethene	51.8	2.5	50.000		104	70 - 130			
1,1-Dichloroethane	49.0	2.5	50.000		97.9	70 - 130			
2-Butanone (MEK)	102	13	100.000		102	70 - 130			
2,2-Dichloropropane	55.0	2.5	50.000		110	70 - 130			
cis-1,2-Dichloroethene	49.1	2.5	50.000		98.2	70 - 130			
Bromochloromethane	44.5	1.0	50.000		89.0	70 - 130			
Chloroform	49.3	2.5	50.000		98.7	70 - 130			
Tetrahydrofuran	44.5	13	50.000		89.0	70 - 130			
1,1,1-Trichloroethane	56.0	2.5	50.000		112	70 - 130			
Carbon Tetrachloride	51.4	2.5	50.000		103	70 - 130			
1,1-Dichloropropene	55.8	2.5	50.000		112	70 - 130			
Benzene	49.7	2.5	50.000		99.3	70 - 130			
1,2-Dichloroethane	44.9	2.5	50.000		89.8	70 - 130			
Trichloroethene	56.8	2.5	50.000		114	70 - 130			
1,2-Dichloropropane	47.5	2.5	50.000		95.0	70 - 130			
Dibromomethane	49.4	2.5	50.000		98.8	70 - 130			
Bromodichloromethane	48.3	2.5	50.000		96.6	70 - 130			
Methyl Isobutyl Ketone	88.5	13	100.000		88.5	70 - 130			

Complete Environmental Testing, Inc.

80 Lupes Drive, Stratford, CT 06615 • Tel: 203-377-9984 • Fax: 203-377-9952 • www.cetlabs.com

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Analyte	Result (ug/kg)	RL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
LCS (B7E0330-BS1) - Continued								Prepared: 5/3/2017 Analyzed: 5/3/2017	
cis-1,3-Dichloropropene	48.9	2.5	50.000		97.7	70 - 130			
Toluene	50.9	2.5	50.000		102	70 - 130			
trans-1,3-Dichloropropene	47.3	2.5	50.000		94.5	70 - 130			
2-Hexanone	96.4	13	100.000		96.4	70 - 130			
1,1,2-Trichloroethane	47.5	2.5	50.000		94.9	70 - 130			
Tetrachloroethene	56.3	2.5	50.000		113	70 - 130			
1,3-Dichloropropane	46.2	2.5	50.000		92.3	70 - 130			
Dibromochloromethane	48.9	2.5	50.000		97.8	70 - 130			
1,2-Dibromoethane	45.7	2.5	50.000		91.5	70 - 130			
trans-1,4-Dichloro-2-Butene	47.3	13	50.000		94.7	70 - 130			
Chlorobenzene	49.9	2.5	50.000		99.9	70 - 130			
1,1,1,2-Tetrachloroethane	51.1	2.5	50.000		102	70 - 130			
Ethylbenzene	51.9	2.5	50.000		104	70 - 130			
m+p Xylenes	105	2.5	100.000		105	70 - 130			
o-Xylene	51.8	2.5	50.000		104	70 - 130			
Styrene	52.1	2.5	50.000		104	70 - 130			
Bromoform	50.4	2.5	50.000		101	70 - 130			
Isopropylbenzene	56.8	2.5	50.000		114	70 - 130			
1,1,2,2-Tetrachloroethane	47.6	2.5	50.000		95.2	70 - 130			
Bromobenzene	47.6	2.5	50.000		95.2	70 - 130			
1,2,3-Trichloropropane	46.4	2.5	50.000		92.8	70 - 130			
n-Propylbenzene	53.1	2.5	50.000		106	70 - 130			
2-Chlorotoluene	51.4	2.5	50.000		103	70 - 130			
4-Chlorotoluene	51.8	2.5	50.000		104	70 - 130			
1,3,5-Trimethylbenzene	52.7	2.5	50.000		105	70 - 130			
tert-Butylbenzene	56.7	2.5	50.000		113	70 - 130			
1,2,4-Trimethylbenzene	52.1	2.5	50.000		104	70 - 130			
sec-Butylbenzene	56.6	2.5	50.000		113	70 - 130			
1,3-Dichlorobenzene	52.3	2.5	50.000		105	70 - 130			
4-Isopropyltoluene	57.5	2.5	50.000		115	70 - 130			
1,4-Dichlorobenzene	51.8	2.5	50.000		104	70 - 130			
1,2-Dichlorobenzene	51.7	2.5	50.000		103	70 - 130			
n-Butylbenzene	56.8	2.5	50.000		114	70 - 130			
1,2-Dibromo-3-Chloropropane	52.6	2.5	50.000		105	70 - 130			
1,2,4-Trichlorobenzene	56.2	2.5	50.000		112	70 - 130			
Hexachlorobutadiene	61.7	2.5	50.000		123	70 - 130			
Naphthalene	51.9	2.5	50.000		104	70 - 130			
1,2,3-Trichlorobenzene	54.8	2.5	50.000		110	70 - 130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>					98.8	70 - 130			
<i>Surrogate: Toluene-d8</i>					96.5	70 - 130			
<i>Surrogate: 4-Bromofluorobenzene</i>					106	70 - 130			

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

CASE NARRATIVE

Revision: original report dated 05/5/2017, changed depth for sample 7050013-05 per client request.

CET # : 7050013

Project: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

All questions related to this report should be directed to David Ditta, Timothy Fusco, or Robert Blake at 203-377-9984.

Sincerely,

This technical report was reviewed by Timothy Fusco



David Ditta
Laboratory Director

Project Manager

Report Comments:

Sample Result Flags:

- E- The result is estimated, above the calibration range.
- H- The surrogate recovery is above the control limits.
- L- The surrogate recovery is below the control limits.
- B- The compound was detected in the laboratory blank.
- P- The Relative Percent Difference (RPD) of dual column analyses exceeds 40%.
- D- The RPD between the sample and the sample duplicate is high. Sample Homogeneity may be a problem.
- +- The Surrogate was diluted out.
- *C1- The Continuing Calibration did not meet method specifications and was biased low for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased low.
- *C2- The Continuing Calibration did not meet method specifications and was biased high for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased high.
- *F1- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the low side.
- *F2- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the high side.
- I- The Analyte exceeds %RSD limits for the Initial Calibration. This is a non-directional bias.

All results met standard operating procedures unless indicated by a data qualifier next to a sample result, or a narration in the QC report.

For Percent Solids, if any of the following prep methods (3050B, 3540C, 3545A, 3550C, 5035 and 9013A) were used for samples pertaining to this report, the percent solids procedure is within that prep method.

Complete Environmental Testing is only responsible for the certified testing and is not directly responsible for the integrity of the sample before laboratory receipt.

ND is None Detected at or above the specified reporting limit

RL is the Reporting Limit

All analyses were performed in house unless a Reference Laboratory is listed.

Samples will be disposed of 30 days after the report date.



REASONABLE CONFIDENCE PROTOCOL LABORATORY ANALYSIS QA/QC CERTIFICATION FORM

Laboratory Name: Complete Environmental Testing, Inc.

Client: TRC Environmental Consultants

Project Location: 172 Greenwich Ave, Stamford

Project Number: 276017.0002.0000

Laboratory Sample ID(s):

7050013-01 thru 7050013-07

Sample Date(s):

04/28/2017

List RCP Methods Used:

CT-ETPH, EPA 8260C

CET #: 7050013

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CTDEP method-specific Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified preservation and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1B	VPH and EPH Methods only: Was the VPH and EPH method conducted without significant modifications (see Section 11.3 of respective RCP methods)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (< 6 degrees C.)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the CT DEP Reasonable Confidence Protocol documents achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5a	a) Were reporting limits specified or referenced on the chain-of-custody?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5b	b) Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project specific matrix spikes and laboratory duplicates included with this data set?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence."

This form may not be altered and all questions must be answered.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature:

Position: Laboratory Director

Printed Name: David Ditta

Date: 05/05/2017

Name of Laboratory: Complete Environmental Testing, Inc.

This certification form is to be used for RCP methods only.

RCP Case Narrative

4- See Exceptions Report Below

4- Exceptions Report

Analyte	QC Type	Exception	Result	RPD	Recovery (%)	Batch/Sequence	Sample ID
Methylene Chloride	LCS	Low	29.8		59.6	B7E0124	
Bromomethane	LCS	High	67.7		135	B7E0329	
Chloroethane	LCS	High	72.1		144	B7E0329	
Dichlorodifluoromethane	LCS	High	92.2		184	B7E0329	
Methylene Chloride	LCS	Low	24.9		49.8	B7E0329	
Trichlorofluoromethane	LCS	High	76.6		153	B7E0329	
Vinyl Chloride	LCS	High	72.9		146	B7E0329	
Bromomethane	LCS	High	67.7		135	B7E0330	
Chloroethane	LCS	High	72.1		144	B7E0330	
Dichlorodifluoromethane	LCS	High	92.2		184	B7E0330	
Methylene Chloride	LCS	Low	24.9		49.8	B7E0330	
Trichlorofluoromethane	LCS	High	76.6		153	B7E0330	
Vinyl Chloride	LCS	High	72.9		146	B7E0330	
Chloromethane	CC	Low	37.3		74.5	S7E0113	
Dichlorodifluoromethane	CC	Low	34.5		69.0	S7E0113	
Methylene Chloride	CC	Low	30.7		61.4	S7E0113	
Methylene Chloride	CC	Low	26.0		51.9	S7E0408	
Methylene Chloride	CC	Low	26.0		51.9	S7E0409	

QC Batch/Sequence Report

Batch	Sequence	CET ID	Sample ID	Specific Method	Matrix	Collection Date
B7E0325		7050013-01	SB04 8-10ft	CT-ETPH	Soil	04/28/2017
B7E0325		7050013-02	SB05 8-10ft	CT-ETPH	Soil	04/28/2017
B7E0325		7050013-03	SB02 8-10ft	CT-ETPH	Soil	04/28/2017
B7E0325		7050013-04	SB06 8-10ft	CT-ETPH	Soil	04/28/2017
B7E0325		7050013-05	SB03 5-6ft	CT-ETPH	Soil	04/28/2017
B7E0325		7050013-07	SB01 8-8.67ft	CT-ETPH	Soil	04/28/2017
B7E0124	S7E0113	7050013-06	SB20170428	EPA 8260C	Soil	04/28/2017
B7E0329	S7E0408	7050013-01	SB04 8-10ft	EPA 8260C	Soil	04/28/2017
B7E0329	S7E0408	7050013-02	SB05 8-10ft	EPA 8260C	Soil	04/28/2017
B7E0329	S7E0408	7050013-05	SB03 5-6ft	EPA 8260C	Soil	04/28/2017
B7E0329	S7E0408	7050013-07	SB01 8-8.67ft	EPA 8260C	Soil	04/28/2017
B7E0330	S7E0409	7050013-03	SB02 8-10ft	EPA 8260C	Soil	04/28/2017
B7E0330	S7E0409	7050013-04	SB06 8-10ft	EPA 8260C	Soil	04/28/2017

CERTIFICATIONS**Certified Analyses included in this Report**

Analyte	Certifications
CT-ETPH in Soil	
ETPH	CT
EPA 8260C in Soil	
Dichlorodifluoromethane	CT,NY
Chloromethane	CT,NY
Vinyl Chloride	CT,NY
Bromomethane	CT,NY
Chloroethane	CT,NY
Trichlorofluoromethane	CT,NY
Acetone	CT,NY
Acrylonitrile	CT,NY
Trichlorotrifluoroethane	CT,NY
1,1-Dichloroethene	CT,NY
Methylene Chloride	CT,NY
Carbon Disulfide	CT,NY
Methyl-t-Butyl Ether (MTBE)	CT,NY
trans-1,2-Dichloroethene	CT,NY
1,1-Dichloroethane	CT,NY
2-Butanone (MEK)	CT,NY
2,2-Dichloropropane	CT,NY
cis-1,2-Dichloroethene	CT,NY
Chloroform	CT,NY
Tetrahydrofuran	CT
1,1,1-Trichloroethane	CT,NY
Carbon Tetrachloride	CT,NY
1,1-Dichloropropene	CT,NY
Benzene	CT,NY
1,2-Dichloroethane	CT,NY
Trichloroethene	CT,NY
1,2-Dichloropropane	CT,NY
Dibromomethane	CT,NY
Bromodichloromethane	CT,NY
Methyl Isobutyl Ketone	CT,NY
cis-1,3-Dichloropropene	CT,NY
Toluene	CT,NY
trans-1,3-Dichloropropene	CT,NY
2-Hexanone	CT,NY
1,1,2-Trichloroethane	CT,NY
Tetrachloroethene	CT,NY
1,3-Dichloropropane	CT,NY
Dibromochloromethane	CT,NY
1,2-Dibromoethane	CT,NY
trans-1,4-Dichloro-2-Butene	CT,NY
Chlorobenzene	CT,NY
1,1,1,2-Tetrachloroethane	CT,NY
Ethylbenzene	CT,NY
m+p Xylenes	CT,NY
o-Xylene	CT,NY
Styrene	CT,NY


CERTIFICATIONS**Certified Analyses included in this Report**

Analyte	Certifications
EPA 8260C in Soil	
Bromoform	CT,NY
Isopropylbenzene	CT,NY
1,1,2,2-Tetrachloroethane	CT,NY
Bromobenzene	CT,NY
1,2,3-Trichloropropane	CT,NY
n-Propylbenzene	CT,NY
2-Chlorotoluene	CT,NY
4-Chlorotoluene	CT,NY
1,3,5-Trimethylbenzene	CT,NY
tert-Butylbenzene	CT,NY
1,2,4-Trimethylbenzene	CT,NY
sec-Butylbenzene	CT,NY
1,3-Dichlorobenzene	CT,NY
4-Isopropyltoluene	CT,NY
1,4-Dichlorobenzene	CT,NY
1,2-Dichlorobenzene	CT,NY
n-Butylbenzene	CT,NY
1,2-Dibromo-3-Chloropropane	CT,NY
1,2,4-Trichlorobenzene	CT,NY
Hexachlorobutadiene	CT,NY
Naphthalene	CT,NY
1,2,3-Trichlorobenzene	CT
SM 2540 G in Soil	
Percent Solids	CT

Complete Environmental Testing operates under the following certifications and accreditations:

Code	Description	Number	Expires
CT	Connecticut Public Health	PH0116	09/30/2018
NY	New York Certification (NELAC)	11982	04/01/2018

A standard linear barcode is positioned vertically on the right side of the page. It consists of vertical black bars of varying widths on a white background.



COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY

Volatile Soils Only:

*** Additional charge may apply. ** TAT begins when the samples are received at the Lab and all issues are resolved. TAT for samples received start on the next business day. All samples picked up by courier service will be considered next business day receipt for TAT purposes.**